

Reference

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- Ames, B. and Gold, L., 2000, Paracelus to parascience: the environmental cancer distraction. *Mutation Research* 447(1): 3-13.
- Anderson, W., 2000, The future relationship between the media, the food industry, and the consumer. *Brit. Med. Bull.* 56(1): 254-258.
- Antloga, K., Meszaros J., Malchesky, P. S., and McDonnell, G. E., 2000, Prion disease and medical devices. *ASAIO J.* 46(6): S69-S72.
- Associated Press, 2003, Cow in Canada diagnosed as Mad Cow. Associated Press report on Yahoo! News, Tuesday, May 20th, 2003.
- Baker, H. F., Ridley, R. M., and Wells, G. A. H., 1993, Experimental transmission of BSE and scrapie to the common marmoset. *Vet. Rec.* 132: 403-406.
- Baker, H. F., Ridley, R. M., Wells, G.A.H., and Ironside, J. W., 1998, Prion protein immunohistochemical staining in the brains of monkeys with transmissible spongiform encephalopathy. *Neuro-pathology and Applied Neurobiology* 24(6): 476-486.
- Baron, T. G. M., Madec, J-Y., and Calavas, D.. 1999, Similar signature of the prion protein in natural sheep scrapie and bovine spongiform encephalopathy-linked diseases. *J. Clin. Microbiol.* 37(11): 3701-37044.
- Baron, T. G. M., Madec, J-Y., Calavas, D., Richard, Y., and Barillet, F., 2000, Comparison of French natural scrapie isolates with bovine spongiform encephalopathy and experimental scrapie infected sheep. *Neuroscience letters* 284(3): 175-178.
- Barret, A., Tagliavini, F., Forloni, G., Bate, D., Salmona, M., Colombo, L., DeLugi, A., Limdo, L., Suardi, S., Rossi, G., Auvre, F., Adjou, K. T., Sales, N., Williams, A., Lasmezas, C., and Deslys, J. P., 2003, Evaluation of Quinacrine treatment for prion diseases. *J. Virol.* 77(15): 8462-8469.
- Belay, E. D., Gambetti, P., Schonberger, L. B., Parchi, P., Lyon, D. R., Capellari, S., McQuiston, J. H., Bradley, K., Dowdle, G., Crutcher, J. M., Craig, M. D., and Nichols, R., 2001, Creutzfeldt-Jakob disease in unusually young patients who consumed venison. *Arch. Neurol.* 58(10): 1673-1678.
- Bebermeyer, R. D., Powell, J. F., Hobdell, M. H., and Durban, E. M., 2003, Dental practice implications of prion diseases. *Quintessence Int.* 34(1): 38-44.
- Beringue, V., Adjou, K. T., Lamoury, F., Maignien, T., Deslys, J. P., Race, R., and Dormont, D., 2000, Opposite effects of dextran sulfate 500, the ployene antibiotic MS-8209 and Congo red on accumulation of the protease-resistant isoform of PrP in the spleens of mice inoculated intraperitoneally with the scrapie agent. *J. Virol.* 74: 5432-5540.
- Bhattacharya, S. 2003, Patient benefits from controversial vCJD drug. *New Scientist* 12-May-2003: 1-2.
- Biffiger, K., Zwald, D., Kaufmann, L., Briner, A., Nayki, I., Purro, M., Bottcher, S., Struckmeyer, T., Schaller, O., Meyer, R., Fatzer, R., Zurbriggen, A., Stack, M., Moser, M., Oesch, B., and Kubler, E., 2002, Validation of a luminescence immunoassay for the detection of PrP^{sc} in brain homogenate. *J. Virological Methods* 101(1-2): 79-84.
- Bons, N., Mestre-Frances, N., Bell, P., Cathala, F., Gajdusek, D. C., and Brown, P., 1999, Natural and experimental oral infection of nonhuman primates by bovine spongiform encephalopathy agents. *PNAS* 96(7): 4046-4051.
- Bosque, P. J., 2002, Bovine spongiform encephalopathy, chronic wasting disease, and the threat to humans from prion disease epizootics. *Curr. Neurol. Neurosci.* 2(6): 488-495.
- Bradley, R. 2002, Bovine spongiform encephalopathy. Update. *Acta Neurobiol. Exp. (Warsz)* 62(3): 183-195.
- Brandner, S., Klein, M. A., and Aguzzi, A., 1999, A crucial role for B-cells in neuroinvasive scrapie. *Transfus. Clin. Biol.* 6(1): 17-23.

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- Brown, P. 1998, 1755 and all that: a historical primer of transmissible spongiform encephalopathy. *BMJ* 317: 1688-1692.
- Brown, P., 2003, Variant CJD transmission through blood: risks to predictors and “predictees”. *Transfusion* 43(4): 425-427.
- Boulton, D. C., McKinley, M. P., and Prusiner, S. B., 1982, Identification of a protein that purifies with the scrapie prion. *Science* 218: 1309-1310.
- Bruce, M. E., McConnell, I., Will, R. G., and Ironside, J. W., 2001, Detection of variant Creutzfeldt-Jakob Disease infectivity in extraneuronal tissues. *Lancet* 358(9277): 208-209.
- Busch, M. P., Kleinman, S. H., and Nemo, G. J., 2003, Current and emerging infectious risks of blood transfusions. *JAMA* 289(8): 959-962.
- Caughey, B. and Raymond, G. J., 1993, Sulfated polyanion inhibition of scrapie-associated PrP accumulation in cultured cells. *J. Virol.* 67: 643-650.
- Centers for Disease Control, 2003, From the Centers for Disease Control and Prevention. Fatal degenerative neurologic illness in men who participated in wild game feasts-Wisconsin, 2002, *JAMA* 289(11): 1369-1371.
- Cervenakova, L., Brown, P., Soukharev, S., Yakovleva, O., Diringer, H., Saenko, E. L., and Drohan, W. N., 2003, Failure of immunocompetitive capillary electrophoresis assay to detect disease-specific prion protein in buffy coat from humans and chimpanzees with Creutzfeldt-Jakob disease 24(5): 853-859.
- Chapman, J., and Korczyn, A. D., 1991, Genetic and environmental factors determining the development of Creutzfeldt-Jakob disease in Libyan Jews. *Neuroepidemiology* 10(5-6): 228-231.
- Collee, J. G., and Bradley, R., 1997, BSE: a decade on. *Lancet* 349: 715-721.
- Collinge, J. 1999, Variant Creutzfeldt-Jacob disease. *Lancet* 354(9175): 317-323.
- Collinge, J., Sidle, K. C. L., Meads, H. J., Ironside, J., and Hill, A. F., 1996, Molecular analysis of prion strain variation and the etiology of “new variant” CJD. *Nature* 383:685-690.
- Conway, C., 2001, Food safety. *Nurs. Stand.* 15(41): 47-52.
- Concepcion, G. P., and Padlan, E. A., 2003, Are humans getting “mad cow disease” from eating beef, or something else? *Med. Hypotheses* 60(5): 699-701.
- Creutzfeldt, H. G., 1921, Über eine eigenartige herd-formig erkrankung des zentralenervensystems. In: Nissle G., Alzheimer, A., editors. *Histologische und Histopathologische Arbeiten über die Grosshirnrinde*. Jenba, Gusta Fischer 6: 1-48.
- Cuille, J. and Chelle, P. L., 1936, La maladie dite tremblante du moulton est-elle inoculable? *C. R. Acad. Sci., Paris* 203: 1552-1554.
- Denton, A. S., Andreyev, H. J., Forbes, A. and Maher, E. J., 2002, Systematic review for non-surgical interventions for the management of late radiation proctitis. *Br. J. Cancer* 87(2): 134-143.
- Detwiler, L. A., and Baylis, M., 2003, The epidemiology of scrapie. *Rev. Sci. Tech. Off. Int'l. Epiz.* 22(1): 121-143.
- Dickinson, A. G., 1976, Scrapie in sheep and goats. In: Kimberlin, R. H. Ed. *Slow virus diseases of animals and man*. Amsterdam: North-Holland. pp.209-241, 1976.
- Doerr, H. W., Cinatl, J., Surmer, M., and Rabenau, H. F., 2003, Prions and orthopedic surgery. *Infect.* 31(3): 163-171.
- Dormont, D., 1998, Biologie des agents transmissibles non conventionnels ou prions. *Rev. Neurol. (Paris)* 154(2): 142-151.
- Dormont, D. 2002a, Prions, BSE, and food. *Int. J. Food Microbiol.* 78(1-2): 181-189.
- Dormont, D. 2002b, Prion diseases: pathogenesis and public health concerns. *FEBS. Lett.* 529(1): 17-21.

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- Duguid, J. R., Bochmont, C. W., Liu, N., and Tourtellotte, W.W., 1989, Changes in brain gene expression shared by scrapie and Alzheimer disease. *PNAS USA*, 86: 7260-7264.
- Dyer, O., 2003, Family finds hospital willing to give experimental CJD treatment. *B.M.J.* 326(7379): 8
- European Commission: 1999, Preliminary report on the evaluation of test for the diagnosis of transmissible spongiform encephalopathy in bovines. pp.1-36, in *Natural Scrapie in Sheep and Goats*, Annex 2. European Commission, Brussels.
- European Commission, 2000, Amending Decision 2000/764/EC on the testing of bovine animals for the presence of bovine spongiform encephalopathy and updating Annex IV of Decision 98/272/EC on epidemi-surveillance for transmissible spongiform encephalopathies. Modified document number C (2000) 4411.
- Farquhar, C., Dickinson, A., and Bruce, M., 1999, Prophylactic potential of pentosan polysulphate in transmissible spongiform encephalopathies. *Lancet* 353(9147): 117
- FDA-United States Food and Drug Administration, 1997a, Substances prohibited from use in animal food or feed; animal proteins prohibited in ruminant feed (final rule). 62 Federal Register 30936-30978 (1997).
- FDA-United States Food and Drug Administration, 1997b, Bovine spongiform encephalopathy (BSE) in products for human use: guidance for industry on the sourcing and processing of gelatin to reduce potential risk (notice). 62 Federal Register 52345-52346 (1997).
- FDA-United States Food and Drug Administration, 1997c, Revised precautionary measures to reduce the possible transmission of Creutzfeldt-Jakob disease (CJD) by blood and blood products: guidance document (notice). 62 Federal Register 49694-49695 91997).
- FDA-United States Food and Drug Administration, 1999, Change to the guidance titled "Revised precautionary measures to reduce the possible risk of transmission of Creutzfeldt-Jacob disease (CJD) by blood and blood products" (notice) Available at: <http://www.fda.gov/cber/infosheets/cjdchange.htm>. Accessed March 1999.
- Ferreira, P. C., Ness, F., Edwards, S. R., Cox, B. S., and Tuite, M. F., 2001, The elimination of the yeast (PSI⁺) prion by guanidine hydrochloride is the result of Hsp104 inactivation. *Mol. Microbiol.* 40(6): 1357-1369.
- Fishbine, L. 1998, Transmissible spongiform encephalopathies, hypotheses and food safety: An Overview. *The Science of the Total Environment* 217(1-2): 71-82.
- Forloni, G., Angeretti, N., Chiesa, R., Monzani, E., Salmona, M., Bugiani, O., and Tagliavini, R., 1993, Neurotoxicity of a prion protein fragment. *Nature* 362: 543-546.
- Forloni, G., Iussich, S., Awan, T., Colombo, L., Angeretti, N., Girola, L., Bertan, I., Poli, G., Caramelli, M., Grazia, B. M., Farina, L., Limido, L., Rossi, G., Giaccone, G., Ironside, J. W., Bugiani, O., Salmona, M., and Tagliavini, F., 2002, Tetracycline's affect prion infectivity. *Proc. Natl. Acad. Sci. USA* 99(16): 10849-10854.
- Foster, J. D., Hope, J. and Fraser, H., 1993, Transmission of bovine spongiform encephalopathy to sheep and goats. *Vet. Rec.* 133: 339-341.
- Fricker, J. 2001, BSE. crisis-transmission through blood transfusion? *Trends Mol. Med.* 7(1): 2-3.
- Gaiger, H. S., 1924, Scrapie. *J. Comp. Pathol.* 37: 259-277.
- Gajdusek, D. C., and Zigas, V., 1957, Degenerative disease of the central nervous system in New Guinea. The epidemic occurrence of "Kuru" in the native population. *N. Engl. J. Med.* 257: 974-978.
- Gajdusek, D. C., 1959, Kuru. *Am. J. Med.* 26: 442-269.
- Gajdusek, D. C., 1977, Unconventional viruses and the origin and disappearance of Kuru. *Science* 197(4307): 493-460.

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- Jajdusek, D. C., 1966a, Infectious amyloids: Subacute spongiform encephalopathies as transmissible cerebral amyloidoses. Fields, B. N., Knipe, D. M., Howley, P. M., editors, In: *Fields Virology*, Philadelphia: Lippincott –Raven Publishers; pp2901-2950.
- Jajdusek, D. C., Gibbs, C. J., and Alpers, M., 1966b, Experimental transmission of a Kuru-like syndrome to chimpanzees. *Nature* 209:764-766.
- Jasset, M., Baldwin, M. A., Lloyd, D.H., Gabriel, J. M., Holtzman, D. M., Cohen, F., Feltterick, R., and Prusiner, S. H., 1992, Predicted alpha-helical regions of the prion protein when synthesized as peptides form amyloid. *PNAS USA*, 89: 10940-10944.
- Jatti, J-L., Metayer, S., Moudjou, M., Andreoletti, O., Lantier, F. Dacheux, J-L., and Sarradin, P., 2002, Prion protein is secreted in soluble forms in the epididymal fluid and proteolytically processed and transported in seminal plasma. *Biol. Reprod.* 67(2): 393-400.
- Jermain, M., Decary, F., Chiavetta, J., and Goldman, M., 2000, Variant Creutzfeldt-Jakob disease and the Quebec blood supply. *CMAJ* 163(4): 412-413.
- Jermain, M., and Goldman, M., 2002, Blood donor selection and screening: strategies to reduce recipient risk. *Am. J. Ther.* 9(5): 406-410.
- Jhosh, P. and Cheras, P. A., 2001, Vascular mechanisms in osteoarthritis. *Best. Pract. Res. Clin. Rheumatol.* 15(5): 693-709.
- Jhosh, P. and Smith, M., 2002, Biogerontology 3(1-2): 85-88.
- Jordon, N., 1999, New variant Creutzfeldt-Jakob disease. *Intl. J. Clin. Pract.* 53(6): 456-459.
- Jrassi, J., 2003, Pre-clinical diagnosis of transmissible spongiform encephalopathies using rapid tests. *Tranfus. Clin. Biol.* 10(1): 19-22.
- Jroschup, M. H., Welland, F., Straub, O. C., and Pfaff, E., 1996, Detection of scrapie agent in the peripheral nervous system of a diseased sheep. *Neurobiol. Dis.* 3: 191-195.
- Jadlow, W. J., 1959, Scrapie and kuru. *Lancet* 2:289-290.
- Jadlow, W. J., Eklund, C. M., Kennedy, R. C., Jackson, T. A., Whitford, H. W., and Boyle, C. C., 1974, Course of experimental scrapie virus infection in the goat. *J. Infect. Dis.* 129: 559-567.
- Jadlow, W. J., Kennedy, R. C., and Race, R. E., 1982, Natural infection of Suffolk sheep with scrapie virus. *J. Infect. Dis.* 146: 657-664.
- Jamir, A. N., Miller, J. M., Cutlip, R. C., Stack, M. J., Chapin, M. J., and Jenny, A. L., 2003, Preliminary observations on the experimental transmission of scrapie to elk (*Cervus elaphus nelsoni*) by intracerebral inoculation. *Vet. Pathol.* 40(1): 81-85.
- Jarmeyer, S., Pfaff, E., and Groschup, M. H., 1998, Synthetic peptide vaccines yield monoclonal antibodies to cellular and pathological prion proteins of ruminants. *The Journal of General Virology* 79 (Pt 4): 937-945.
- Jellman, K. B., 1997, FDA Regulation: Device related issues in implantables and tissue-engineered combination products. Paper presented at: National Managed Health? Care Congress, 2nd International Conference on Transmissible Spongiform Encephalopathy: November 18, 1997; Washington, D. C.
- Jermyn, J. W., Tings, T., Dunker, S., and Kretzschmar, H. A., 2001, Prion protein affects Ca⁺² activated K⁺ currents in cerebellar purkinje cells. *Neurobiol. Dis.* 8(2): 324-330.
- Jett, A. R., Rufenzacht, J., Perier, L., and Heim, D., 2002, A method to identify BSE suspects in emergency slaughtered cattle during ante mortem examination. *Schweiz. Arch. Tierheilkd.* 144(12): 654-662.
- Jill, A. F., Sidle, K. C. L., Joiner, S., Keyes, P., Martin, T. C., Dawson, M., and Collinge, J., 1998, Molecular screening of sheep for bovine spongiform encephalopathy. *Neuroscience Letters* 255(3): 159-162.

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- Hogan, R. N., 2003, Potential for transmission of prion diseases by contact lenses: an assessment of risk. Eye Contact Lens 29(Suppl. 1): 44-S48.
- Holeman, R. C., Khan, A. S., Belay, ED., and Schonberger, LB., 1996, Creutzfeldt-Jakob disease in the United States, 1979-1994. Emerg. Infect. Dis. 2:333-337.
- Hope, J., Shearman, M. S., Baxter, H. C., Chong, A., Kelly, S. M., and Price, N. C., 1996, Cytotoxicity of prion protein peptide ($\text{PrP}^{106-126}$) differs in mechanism from the cytotoxic activity of the Alzheimer's disease amyloid peptide Abeta25-35. Neurodegen 5: 1-23.
- Horby, P. 2002, Variant Creutzfeldt-Jacob disease: An unfolding epidemic of misfolded proteins. J. Paediatr. Child Health 38(6): 539-542.
- Hornsey, V. S., Drummond, O., Young, D., Docherty, A., and Prowse, C. V., 2001, A potentially improved approach to methylene blue virus inactivation of plasma: the Maco Pharma Maco-Tronic system. Transfus. Med. 11(1): 31-36.
- Hueston, W. D., 1997, The state of TSE in the US: managing the risks. Paper presented at : National Managed Health Care Congress, 2nd International Conference on Transmissible Spongiform Encephalopathies, November 17, 1997, Washington, D. C.
- Hur, K. H., Kim, J-I., Choi, S-I., Choi, E-K., Carp, R. I. and Kim, Y-S., 2002, The pathogenic mechanisms of prion diseases. 123(12): 1637-1647.
- Jackman, R., and Schmerr, M-J., 2003, Analysis of the performance of antibody capture methods using fluorescent peptides with capillary zone electrophoresis with laser-induced fluorescence. Electrophoresis 24(5): 892-896.
- Jackson, G. S. and Collinge, J., 2001, The molecular pathology of CJD: old and new variants. Mol. Pathol. 54(6): 393-399.
- Jakob, A., 1921, Über eigenartige erkrankungen des zentralnervensystems mit bemerkenswerten anatomicischen befunde (spastische pseudosklerose-encephalo-myelopathie mit disseminierten degenerationsherden). In: /Deutsche jetschrift fur Nervenheikunde 132-146.
- Jones, J., 2003, World shuns Canadian beef or mad cow fears. Reuters News Service, May 21, 2003.
- Jung, G., Jones, G., and Masison, D. C., 2002, Amino acid residue 184 of yeast Hsp104 chaperone is critical for prion-curing by guanidine, prion propagation, and thermotolerance. PNAS 99(15): 9936-9941.
- Kang, S. C., Wang, Li R., Pan, T., Liu, T., Rubenstein, R., Barnard, G., Wong, B. S., and Ms, Sy., 2003, Guanidine hydrochloride extraction and detection of prion proteins in mouse and hamster prion diseases by ELISA. J. Pathol. 199(4): 534-541.
- Karger, R. and Kretschmer, V., 2002, In-line filtration. Transfus. Apheresis. Sci. 27(2): 137-152.
- Kimberlin, R. H., and Wilesmith, J. W., 1994, Bovine spongiform encephalopathy-epidemiology, low dose exposure and risks. Ann. NY Acad. Sci. 724: 210-220.
- Korczyn, A. D., 1991, Creutzfeldt-Jakob disease among Libyan Jews. Eur. J. Epidemiol. 7(5): 490-493.
- Kourie, J. L., 2001, Mechanisms of prion-induced modifications in membrane transport properties: implications for signal transductions and Neurotoxicity. Chem. Biol. Interact. 138(1): 1-26.
- Kretzschmar, H. A., 1999, Molecular pathogenesis of prion diseases. Eur. Arch. Psychiatry Clin. Neurosci. 249 (Suppl. 3): 56-63.
- Ligios, C., Jeffrey, M. Ryder, S. J., Bellworthy, S. J., and Simmons, M. M., 2002, Distinction of scrapie phenotypes in sheep by lesion profiling. J. Comp Pathol 127(1): 45-57.
- Lupi, O., 2003, Could ecoparasites act as vectors for prion diseases? Int. J. Dermatol. 42(6): 425-429.
- Macleod, M. A., 2003, Potential treatments and treatment strategies in Creutzfeldt-Jakob disease. Idrugs 6(4): 345-350.

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- Madec, J-Y., Belli, P., Calavas, D., and Baron, TH., 2000, Efficiency of western blot for the specific immunodetection of proteinase K-resistant prion protein in BSE diagnosis in France. *Vet. Rec.* 146(3): 74-76.
- Madec, J. Y., Vanier, A., Dorier, A., Bernillon, J., Belli, P., and Baron, Th., 1997, Biochemical properties of protease resistant prion protein PrP^{Sc} in natural sheep scrapie. *Arch. Virol.* 142(8): 1603-1612.
- Maignien, T., Lasmezasas, C. I., Beringue, V., Dormont, D. and Deslys, J-P., 1999, Pathogenesis of oral route of infection of mice with scrapie and bovine spongiform encephalopathy agents. *J. Gen. Virol.* 80(Pt 11): 3035-3042.
- Marsh, R., and Hadlow, W. J., 1992, Transmissible mink encephalopathy. *Revue Scientifique et Technique Office International de Epizooties* 11: 539-549.
- Marsh, R. and Kimberlin, R. H., 1975, Comparison of scrapie and transmissible mink encephalopathy in hamsters: Clinical signs, pathology, and pathogenesis. *J. Infect. Dis.* 131: 104-110.
- Martinsen, T. C., Taylor, D. M., Johnsen, R., and Waldum, H. L., 2002, Gastric acidity protects mice against prion infection. *Scand. J. Gastroenterol.* 37(5): 497-500.
- McHattie, S., and Edington, N., 1999, Clusterin prevents aggregation of neuropeptide 106-126 *in vitro*. *Biochem. Biophys. Res. Commun.* 259(2): 336-340.
- Meyer, R. K., Oesch, B., Fatzer, R., Zurbriggen, A., and Vandervelde, M., 1999, Detection of bovine spongiform encephalopathy-specific PrP^{Sc} by treatment with heat and guanidine thiocyanate. *J. Virol.* 73(11): 9386-9392.
- Miekka, S. I., Forni, R. -Y., Rohwer, R. H., MacAuley, C., Stafford, R. E., Flack, S. L., MacPhee, M., Kent, R. S., and Drohan, W. N., 2003, Inactivation of viral and prion pathogens by gamma-irradiation under conditions that maintain the integrity of human albumin. *Vox Sang* 84(1): 36-44.
- Moisan, M., Barbeau, J., Moreau, S., Pelletier, J., Tabrizian, M., and Yahia, L. H., 2001., Low-temperature sterilization using gas plasma: a review of the experiments and an analysis of the inactivation mechanisms. *Int. J. Pharm.* 226(1-2): 1-21.
- Moldwin, R. W. and Sant, G. R., 2002, Interstitial Cystitis: a pathophysiology and treatment update. *Clin. Obstet. Gynecol.* 45(1): 259-272.
- Momcilovic, D., and Rasooly, A., 2000, Detection and analysis of animal materials in food and feed. *J. Food Prot.* 63(11): 1602-1609.
- Morbidity and Mortality Weekly Report, October 18, 2002, Probable variant Creutzfeldt-Jakob disease in a U. S. resident-Florida, 2002. *MMWR* 51(41):927-929.
- Morbidity and Mortality Weekly Report. 2003, Fatal degenerative neurologic illnesses in men who participated in wild game feasts—Wisconsin, 2002. *MMWR* 52(7): 125-127.
- Murphy, F. A., Paul, F., Gibbs, J., Horzinek, M. C., and Studdert, J., 1999, *Veterinary Virology*, 3rd Edition, pp571-580. Academic Press, San Diego-London.
- Narang, H., 1996, Origin and implications of bovine spongiform encephalopathy. *Proc. Soc. Exp. Biol. Med.* 211(4): 306-322.
- Nickel, J. C., 2000, Interstitial Cystitis, etiology, diagnosis, and treatment. *Can. Fam. Physician* 46(12): 430-2434, 2437-2440.
- Novak, M., Vrtiak, O. J., Mikula, J., and Tkacikova, L., 2002, Ovine scrapie: Priorities and importance. *Folia Microbiol (Praha)* 45(6): 475-483.
- Paramithiotis, E., Pinard, M., Lawton, T., LaBoissiere, S., Leathers, V. L., Zou, W. Q., Estey, L. A.,

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- Lamontagne, J., Lehto, M. T., Kondejewsik, L. H., Francoeur, G. P., Papadopoulos, M., Haghishat, A. Spatz, S. J., Head, M., Will, R., Ironside, J., O'Rourke, K., Tonelli, Q., Ledebur, H. C., Chakrabarty, A., and Cashman, N. R., 2003, A prion protein epitope selective for the pathologically misfolded conformation. *Nat. Med.* (June 1, 2003: PMID#12778138(Epub ahead of print).
- Parry, H. B., 1983, *Scrapie disease of sheep: historical, clinical, epidemiological, and practical aspects of the natural disease*. New York: Academic Press; 1983.
- Parsons, C. L., 2002, Interstitial cystitis: epidemiology and clinical presentation. *Clin. Obstet. Gynecol.* 45(1): 242-249.
- Parsons, C. L., 2003, Misleading report of massive bleeding in a patient taking pentosan polysulfate. *Arch. Intern. Med.* 163(1): 119.
- Pattison, I. H., and Millson, G. C., 1962, Distribution of the scrapie agent in the tissue in the tissue of experimentally inoculated goats. *J. comp. Pathol.* 72: 233-244.
- Pedersen, N. S., and Smith, E., 2002, APMIS 110(1): 14-22.
- Peltier, A. C., Reading, P. H., Kluin, K., et al., 2002, Two cases of early onset sporadic Creutzfeldt-Jakob disease in Michigan. Presented at the American Academy of Neurology Annual Meeting, Denver, Colorado, 2002.
- Pennisi, E., 2003, Gene evolution. Cannibalism and prion disease may have been rampant in ancient humans. *Science* 300(#5617): 227-228.
- Porter, R., and Drazek, P., 1999, USDA restricts imports of animals and animal products from Europe. APHIS Press Releases. Available at: <http://www.aphis.usda.gov/lpa/press/1997/12/ebuse.txt>. Accessed March, 1999.
- Purdey, M. 2000, Ecosystems supporting clusters of sporadic TSEs demonstrate excesses of the radical-generating divalent cation manganese and deficiencies of antioxidant co factors Cu, Se, Fe, Zn. *Medical Hypotheses* 54(2): 278-306.
- Prusiner, S. B., 1982, Novel proteinaceous infectious particles cause scrapie. *Science* 216: 136-144.
- Prusiner, S. B., 1998, Prions. *Proc. Natl. Acad. Sci.* 95(23): 13363-13383.
- Prusiner, S. B., 1999, Development of the prion concept. In: Prusiner, S. B. editor, *Prion biology and diseases*. Cold Spring Harbor (NY): Cold Spring Harbor Laboratory Press, pp.67-112.
- Ramasamy, I., Law, M., Collins, S., and Brooke, E., 2003, Organ distribution of prion proteins in variant Creutzfeldt-Jakob disease. *Lancet Infect. Dis.* 3(4): 214-222.
- Ratzan, S., (Editor) 1998, *The Mad Cow Crisis: Health and the Public Good*, London, UCL Press.
- Rieger, R., Lasmezas, C. I., and Weiss, S., 1999, role of the 37 kDa laminin receptor precursor in the life cycle of prions. *Transfus. Clin. Biol.* 6(1): 7-16.
- Rusnati, M., Urbinati, C., Caputo, A., Possati, L., Lortat-Jacob, H., Giacca, M., Ribatti, D., and Presta, M., 2001, Pentosan polysulfate as an inhibitor of extracellular H³V-Tat. *J. Biol. Chem.* 276(25): 22420-22425.
- Rutala, W. A., and Weber, D. J., 2001, Creutzfeldt-Jakob disease recommendations for disinfection and sterilization. *Clin. Infect. Dis.* 32(9): 1348-1356.
- Ryder, S. J., Hawkins, S. A. C., Dawson, M. and Wells, G. A. H., 2000, The neuropathology of experimental bovine spongiform encephalopathy in the pig. *J. of Comparative Pathology* 122(2-3): 131-143.
- Ryder, S. J., Wells, G. A., Bradshaw, J. M., and Pearson, G. R., 2001, Inconsistent detection of PrP in extraneural tissues of cats with feline spongiform encephalopathy. *Vet. Rec.* 148(14): 437-441.
- Schaller, O., Fatzer, R. K., Stack, M., Clark, J., Cooley, W., Biffinger, K., Egli, S., Doherr, M., Vadevelde,

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- M., Heim, D., Oesch, B., and Moser, M., 1999, Validation of a western immunoblotting procedure for bovine PrP^{sc} detection and its use as a rapid surveillance method for the diagnosis of bovine spongiform encephalopathy (BSE). *Acta Neuropathologica* 98(5): 437-443.
- shmerr, M. J., Goodwin, K. R., Cutlip, C., and Jenny, A. L., 1996, Improvements in a competition assay to detect scrapie prion protein by capillary electrophoresis. *J. Chromatogr. B. Biomed. Appl.* 681(1): 29-35.
- chmerr, M. J., Jenny, A., Cutlip, R. C., 1997, Use of capillary sodium dodecyl sulfate gel electrophoresis to detect the prion protein extracted from scrapie-infected sheep. *J. Chromatogr. B. Sci. Appl.* 697(1-2): 223-229.
- chmerr, M. J., Jenny, A., Bulgin, M. S., Miller, J. M., Hamir, A. N., Cutlip, R. C., and Goodwin, K. R. 1999, Use of capillary electrophoresis and fluorescent labeled peptides to detect the abnormal prion protein in the blood of animals that are infected with a transmissible spongiform encephalopathy. *J. Chromatogr. A.* 853(1-2): 207-214.
- chwetz, B. A., 2001, Transmissible spongiform encephalopathies including bovine spongiform encephalopathy and chronic wasting disease. U. S. Food and Drug Administration Action Plan, April 24, 2001, pp.1-15.
- cott, M. R., Will, R., Ironside, J., Nguyen, H-O. B., Tremblay, P., DeArmond, S. J., and Prusiner, S. B., 1999, Compelling transgenic evidence for transmission of bovine spongiform encephalopathy prions to humans. *PNAS* 96(26): 15137-15142.
- mith, P. G., 2003, The epidemics of bovine spongiform encephalopathy and variant Creutzfeldt-Jakob disease: current status and future prospects. *Bull. World Health Organ.* 81(2): 123-130.
- an, L., Williams, M. A., Khan, M. K., Champion, H. C., and Nielsen, N. H., 1999, Risk of transmission of bovine spongiform encephalopathy to humans in the United States. *JAMA* 281(24): 2330-2339.
- aylor, D. M., Fernie, K., McConnell, I., Ferguson, C. E., and Steele, P. J., 1998, Solvent extraction as an adjunct to rendering: the effect on BSE and scrapie agents of hot solvents followed by dry heat and steam. *Vet. Rec.* 143(1): 6-9.
- aylor, D. M. 2002, Current perspectives on bovine spongiform encephalopathy and variant Creutzfeldt-Jakob disease. *Clin. Microbiol. Infect.* 8(6): 332-339.
- aylor, D. M., 2003, Inactivation of TSE agents: safety of blood and blood-derived products. *Transfus. Clin. Biol.* 10(1): 23-25
- JSDA-United States Department of Agriculture Animal and Plant Health Inspection Service, 1991, Importation of animal products and by-products from countries where BSE exists (final rule). 56 Federal Register 63868-63869, 1991.
- JSDA-United States Department of Agriculture, Animal and Plant Health Inspection Service, 1998, Bovine spongiform encephalopathy. Available at: <http://www.aphis.usda.fpv/oa/pubs/fsbe.html>. Accessed /December 1998.
- amvakas, E. C., 1999, risk of transmission of Creutzfeldt-Jakob disease by transfusion of blood plasma, and plasma derivatives. *J. Clin. Apheresis* 14(3); 135-143.
- itale, K., Sahin, U., Greenblatt, C., et al., 2001, The animal and human prion diseases: public health importance and risk assessment. *Periodicum Biologorum* 103: 201-217.
- Nadsworth, J. D., Jackson, G. S., Hill, A. F., and Collinge, J., 1999, Molecular biology of prion propagation. *Current Opinion in Genetics and Development* 9(3): 338-345.
- Nadsworth, J. D., Joiner, S., Hill, A. F., Campbell, T. A., Desbruslais, M., Luther, P. J., and Collinge, J., 2001, Tissue distribution of protease resistant prion protein in variant Creutzfeldt-Jakob Disease

REFERENCES FOR FDA GUIDANCE INCLUSIONS

- using a highly sensitive immunoblotting assay. *Lancet* 258(9277): 171-180.
- Ward, H. J., Head, M. W., Will, R. G., and Ironside, J. W., 2003, Variant Creutzfeldt-Jakob disease. *Clin. Lab. Med.* 23(1): 87-108.
- Weber, D. J., and Rutala, W. A., 2002, Managing the risk of nosocomial transmission of prion diseases. *Curr. Opin. Infect. Dis.* 15(4): 421-425.
- Wells, G. A., Hawkins, S. A., Austin, A. R., Ryder, S. J., Done, S. H., Green, R. B., Dexter, I., Dawson, M. and Kimberlin, R. H., 2003, Studies of the transmissibility of the agent of bovine spongiform encephalopathy to pigs. *J. Gen. Virol.* 84(Pt4): 1021-1031.
- White, A. R., Enever, P., Tayebi, M., Mushens, R., Linchan, J., Brandner, S., Anstee, D., Collinge, J., and Hawke, S., 2003, Monoclonal antibodies inhibit prion replication and delay the development of prion disease. *Nature* 422(6927): 80-83.
- Wientjens, D. P., and Walvoort, H. C., 1997, Nobel Prize of Medicine 1997 awarded for prion theory. *Ned. Tijdschr. Geneeskde.* 141(52): 2554-2557.
- Will, R. G., 1999, The transmission of prions to humans. *Acta paediatrica* (Oslo, Norway: 1992. Supplement) 88(433): 28-32.
- Will, R. G., Alperovitch, A., Poser, S., Pocchiari, M., Hofman, A., Mitrova, E., de Silva, R., D'Alessandro, M., Delasnerie-Laupretre, N., Zerr, I., and van Duijn, C., 1998, Descriptive epidemiology of Creutzfeldt-Jacob disease in six European countries, 1993-1995. *Annals of Neurology* 43(6): 763-767.
- Wilesmith, J. W., 1994, An epidemiologist's view of bovine spongiform encephalopathy. *Phil. Trans. R. Soc. Lond. B.* 343: 357-361.
- Wilesmith, J. W., and Ryan, JBM., 1991, Bovine epidemiology studies on the origin. 128: 199-203.
- Wilesmith, J. W., Ryan, JBM., and Hueston, W. D., 1992, Bovine spongiform encephalopathy: case-control studies of calf-feeding practices and meat and bone meal inclusion in proprietary concentrates. *Res. Vet. Sci.* 52: 325-331.
- Wilesmith, J. W., and Ryan, JBM., 1996, Bovine spongiform encephalopathy: epidemic studies on the origin. *Vet. Rec.* 128: 199-203.
- Williams, E. S., 2002, The transmissible spongiform encephalopathies: disease risks for North America. *Vet. Clin. North Am. Food. Anim. Pract.* 18(3): 461-473.
- Williams, E. S., and Young, S., 1982, Chronic-wasting disease of captive mule deer: A spongiform encephalopathy. *J. Wildl. Dis.* 16: 89-98.
- Wilson, K., Wilson, M., Hebert, P. C., and Graham, I., 2003, The application of the precautionary principle to the blood system: The Canadian blood system's vCJD donor deferral policy. *Transfus Med. Rev.* 17(2): 89-94.
- Yam, P., 2003, Shoot this deer. *Sci. Amer.* 288(6): 38-43.
- Yamamoto, M., Horiuchi, M., Ishiguro, N., Shinagawa, M., Matsuo, T., and Kaneko, K., 2001, Glycidol degrades scrapie mouse prion protein. *J. Vet. Med.* 63(9): 983-990.
- Zanusso, G., Ferrari, S., Cardone, F., Zampieri, P., Gelati, M., Fiorini, M., Farinazzo, A., Gardiman, M., Cavallaro, T., Bentivoglio, M., Righetti, P. G., Pocchiari, M., Rizzuto, N., and Monaco, S., 2003, Detection of pathologic prion protein in the olfactory epithelium in sporadic Creutzfeldt-Jakob disease. *N. Engl. J. Med.* 348(8): 681-682.